



OVERVIEW

| Primary Specification | |
|------------------------------------|----------------------|
| Registry: | Australia |
| Class: | BV / Special Service |
| Official Number/Unique Identifier: | OF859619 |
| IMO Number: | 862366 |
| Length (Overall): | 15.50m |
| Beam (Overall) | 6.06m |
| Depth (Moulded): | 2.25m |
| Draught | 1.50m |
| Deck Load | 10T |
| Deck Strength | 4T/m |
| Bollard Pull Max: | 7.4T |
| Speed | 8.5kN |

| Propulsion System | |
|-----------------------|-----------------------------------|
| Propulsion: | 2 x Bronze fixed pitch propellers |
| Main Engines: | 2 x Volvo D9 MH/1 |
| Gearboxes | 2 x Twin Disc MG 5091 DC/3.82:1 |
| Diameter | 2 x 1050mm in nozzles |
| Steering System | Sperry Powered hydraulic |
| Deck Lay-out | |
| Anchor | 75kg Pool |
| Chain | 100m short link 13mm U2 |
| Anchor Winch | Hand Operated |
| Deck Crane | Heila HLM 20-2S, 2.2T, 6.8m |
| Anchor Handling Winch | DMT 15T at 5m/min |
| Tow Hook | Disc Type 15T |
| Coupling Winches | 2 x DMT manual 25T |

The data on this specification is published in good faith and for general information purpose only. It does not warrant its accuracy or completeness and to the full extent allowed by law excludes liability.

OVERVIEW

| Tank capacities | | Navigational/Communications | |
|--------------------|--------------------|-----------------------------|-------------------------|
| Fuel Oil: | 7.4m ³ | Sarchlight: | Den Haan 170W 24V |
| Ballast Water AFT: | 10.2m ³ | Horn: | Ongaro |
| Ballast Water FWD | 6.1m ³ | Fluxgate Compass: | Radio Zeeland Sigma 345 |
| Fresh Water: | 3.2m ³ | VHF Radio: | Sailor 2048 |
| | | GPS: | Furuno GP-32 |
| | | Echosounder: | Furuno LS-6100 |



The data on this specification is published in good faith and for general information purpose only. It does not warrant its accuracy or completeness and to the full extent allowed by law excludes liability.

(ONLY FOR USE WITH HOOK - SEA STATE - 0 - OR HARBOUR CONDITION)



